

Package: kinesis (via r-universe)

October 3, 2024

Title 'shiny' Applications for the 'tesselle' Packages

Version 0.0.0.9004

Maintainer Nicolas Frerebeau

<nicolas.frerebeau@u-bordeaux-montaigne.fr>

Description A collection of 'shiny' applications for the 'tesselle' packages.

License GPL (>= 3)

URL <https://github.com/tesselle/kinesis>,
<https://packages.tesselle.org/kinesis/>

BugReports <https://github.com/tesselle/kinesis/issues>

Imports arkhe (>= 1.7.0), bslib (>= 0.8.0), config (>= 0.3.2),
dimensio (>= 0.9.0), grDevices, gt (>= 0.11.0), isopleuros (>= 1.2.0),
kairos (>= 2.1.1), khroma (>= 1.14.0), nexus (>= 0.3.0), shiny (>= 1.9.1), stats, tabula (>= 3.1.0), utils

Suggests tinytest, tinysnapshot

Encoding UTF-8

LazyData true

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Repository <https://tesselle.r-universe.dev>

RemoteUrl <https://github.com/tesselle/kinesis>

RemoteRef HEAD

RemoteSha 268bf701fd13008f47d78ab976c4e900bbb9080d

Contents

run_app	2
Index	3

`run_app`*Run an App*

Description

A wrapper for `shiny::shinyAppDir()`.

Usage

```
run_app(  
  app = c("seriate", "source", "ternary"),  
  options = list(launch.browser = interactive())  
)
```

Arguments

`app` A [character](#) string specifying the Shiny application to run (see details). Any unambiguous substring can be given.

`options` A [list](#) of named options that should be passed to the `shiny::runApp()` call.

Details

Application name	Keyword
Matrix Seriation	seriate
Compositional Data Analysis	source
Ternary Plot	ternary

Value

A `shiny` application object.

Author(s)

N. Frerebeau

Examples

```
## Not run:  
run_app("seriation")  
  
## End(Not run)
```

Index

* **shiny apps**

run_app, [2](#)

character, [2](#)

list, [2](#)

run_app, [2](#)

shiny::runApp(), [2](#)

shiny::shinyAppDir(), [2](#)